


61
992
ENT

The
Entomologist's Record
and Journal of Variation

Edited by C. W. Plant



Contents and Special Index

Volume 123

2011

ISSN 0013-8916

THE ENTOMOLOGIST'S RECORD

AND JOURNAL OF VARIATION

World List abbreviation: *Entomologist's Rec. J. Var.*

<http://www.entrecord.com>

Published by the Amateur Entomologists' Society
UK Registered Charity number 2674302

Annual subscription for 2011 is £25 for individuals or £50 for institutional subscribers

Editor

C.W. PLANT, B.Sc., F.R.E.S.

14 West Road, Bishops Stortford, Hertfordshire CM23 3QP.
Telephone: 01279 507697 E-mail: cplauk1@ntlworld.com

Who to contact

Material for publication, books for review, obituaries, advertisements – the Editor
Subscriptions, change of address, etc – contact PO Box 8774, London SW7 5ZG
Late or non-arrivals, back issues – contact PO Box 8774, London SW7 5ZG

Back Issues

Volumes more than ten years old may be read at www.biodiversitylibrary.org/bibliography/8408

Readers are respectfully advised that the publication of material in this journal does not imply that the views and opinions expressed therein are shared by the Editor or by the Amateur Entomologists' Society or by any party other than the named author or authors.

Guidelines for Contributors

The Editor welcomes contributions on British Isles Lepidoptera, on non-British Lepidoptera where likely to be of interest to British researchers and on other groups of British Insects for which specialist English language journals do not currently exist. We accept descriptions of new species. Other subject matter may be accepted entirely at the discretion of the Editor, whose decision is final.

Please follow the format in this issue. The Editor will be pleased to assist in any way possible, especially if you are a first-time author. If in doubt – contact me! Ideally material will be compatible with Microsoft Word and will arrive via e-mail, but we will accept typescripts or *neatly* hand-written contributions for shorter Notes.

Notes are reviewed and accepted by the Editor and are especially welcomed. We aim to publish these within two issues of acceptance.

Full papers must include an Abstract and a maximum of ten Key Words and acceptance is subject to external peer-review; full papers may be returned for changes before final acceptance and we aim to publish these within three or four issues of original receipt.

Colour or black and white photographs are welcomed but will only be used if they are deemed relevant by the Editor. All pictures, as well as graphs and other objects created in Excel or other programs must be sent as separate files. This is because files embedded in Word documents cannot be edited.

We now issue Pdf files in place of paper reprints. These are sent automatically to the first named author of Papers. Authors of Notes may request a Pdf of their contribution. Abstracts of Papers are published on our website.

Books for review must be sent to the Editor in the first instance. We do not normally accept unsolicited reviews by third parties.

Data Protection Act, 1998

Subscribers' names, address, AES publications subscribed to and, where provided, e-mail addresses and telephone numbers, are stored on a computer database for the sole purpose of administering the publication and distribution of this journal. The information may be accessed by or sent to elected AES council members for AES business purposes, but will be used solely for the purposes of managing AES membership subscriptions and administering the Society. It will not be divulged to any third party without your permission except where the Society is legally obliged to do so. By subscribing to the *Entomologist's Record and Journal of Variation* you agree to these data storage conditions. If you object to us storing this data please let us know.

CONTENTS

compiled by Colin W. Plant and Andrew Smith

1: PEER-REVIEWED PAPERS

A

A new species of *Telenomus (Aholcus)* (Hym., Platygastroidea: Scelionidae) from Russia and the Ukraine. *James P. O'Connor and Patrick Ashe*, 190-194

A review of *Acleris umbrana* (Hb.) (Lep.: Tortricidae) in Great Britain since 1900. *R. J. Heckford*, 111-127

Adventive Brassolina (Lep.: Nymphalidae) in Britain and elsewhere. *C. Roger Bristow*, 235-237

C

(The) Centenary of James William Tutt. *Anthony J. Pickles*, 201-205

D

Desertobia ankeraria (Staudinger, 1861) (Lep.: Geometridae): a new genus and species for the Bulgarian fauna. *Stoyan Beshkov and Boyan Zlatkov*, 163-169

I

(The) Immigration of Lepidoptera to the British Isles in 2008. *Sean P. Clancy*, 13-44

Insects Hybrids. *Bill Smyllie*, 213-217

L

Long-term changes in the abundance and phenology of *Hoplia philanthus* (Fuessly) Col: Scarabaeidae at Silwood Park. *Chris R. Shortall and Georgie L.S. Timmis*, 195-198

M

Macro-moths new to Bedfordshire (VC 30) since the publication of *The Butterflies and Moths of Bedfordshire* in 1997, with comments on some previously published records. *Melissa G. Banthorpe*, 242-246

Microlepidoptera Review of 2010. *J. R. Langmaid and M. R. Young*, 249-277

Moth Count Milestones. *Z. Randle, L. Hill and R. Fox*, 206-211

N

New species of Megalodontesidae (Hym., Symphyta, Pamphilioidea) from North Africa and the Middle East. *Neil D. Springate, Daniel H. Burckhardt and Lawrie S. Springate*, 131-144

O

On *Saturnia Pavonia* (Linnaeus, 1758) and *Saturnia Pavoniella* (Scopoli, 1763) (Lep.: Saturniidae). *Boyan Zlatkov*, 84-89

R

Rediscovering *Muschampia tessellum* ([Hübner, [1803]]) (Lep.: Hesperiidae) in Bulgaria with additional notes on *M. cribrellum* (Eversmann, 1814) from the eastern Balkan (Stara Planina) mountains. *Kurt Hoejgaard & Stoyan Beshkov*, 147-150

Reinstatement of coppicing in neglected ancient woodlands benefits bumblebees, butterflies and grasshoppers in Essex. *Tim Gardiner*, 222-231

Rhigognostis annulatella (Curtis, 1832) (Lep.: Yponomeutidae) found inland and on two new larval foodplants, and a consideration of published larval descriptions. *R. J. Heckford and S. D. Beavan*, 279-282

S

Southern Grass Emerald *Chlorissa cloraria* (Hübner, [1813]) (Lep.: Geometridae) new to the Channel Islands. *Philip H. Sterling and Peter D. M. Costen*, 1-11

Stages of *Olethreutes Arcuella* (Clerck, 1759) (Lep.: Tortricidae). *R. J. Heckford*, 64-69

T

Two new species of Noctuidae (Lep.), subfamily Herminiinae, from Fiji. *John Clayton*, 185-189

2: NOTES

A

A belated record of *Elaphropus* (formerly *Tachys*) *parvulus* (Dejean) (Col.: Carabidae) from West Sussex. *Richard A. Jones*, 51

A confusion of Orange Underwings *Archiearis parthenias* (L.) and *A. notha* (Hb.) (Lep.: Geometridae). *Les Hill, Phil Jenner and Colin W. Plant*, 93-95

A new UK food plant for *Ectoedemia subbimaculella* (Haw.) (Lep.: Nepticulidae). *Keith Palmer*, 285

A plea for research into the life history of *Prays* spp. (Lep.: Yponomeutidae). *David J. L. Agassiz*, 150-151

Acleris abietana (Hb.) (Lep.: Tortricidae) new to the Roxburghshire (VC 80) county list. *Philip J. L. Gould*, 241

Additions to the Macro-moth list of Huntingdonshire (vice-county 31) and other records of interest during the last decade. *Barry Dickerson*, 95-97

Adela croesella (Scop.) (Lep.: Adelidae): new to Hertfordshire. *Andrew Wood and Ben Sale*, 194

An early Streak *Chesias legatella* (D.&S.) (Lep.: Geometridae). *Roger Hayward*, 241

An unseasonal record of *Orthosia cerasi* (Fabr.) Common Quaker (Lep.: Noctuidae) in Surrey (VC 17). *L. J. Hill*, 283

B

Broad-bordered White Underwing *Anarta melanopa* (Thunberg) (Lep: Noctuidae) records in the central Southern Uplands, including a first record for Selkirkshire (Vice-county 79). *Malcolm Lindsay*, 61

Brown-tail *Euproctis chrysorrhoea* (L.) (Lep.: Noctuidae) larvae feeding on Pedunculate Oak *Quercus robur* and Red Oak *Quercus rubra* in southern Britain. *Martin C. Townsend, Ralph Parks & Nittaya Lawrence*, 198-199

Brown-Tail Moth *Euproctis Chrysorrhoea* (L.) outbreak in South-East England. *Colin W. Plant*, 146

Bucculatrix nigricomella (Zell.) (Lep.: Bucculatricidae) feeding in February. *Robert Homan*, 60

C

Callophrys rubi (L.) ab. *dennisorum* Campbell ab. nov. (Lep.: Lycaenidae) Green Hairstreak: A new aberration discovered in Buckinghamshire. *Wendy Campbell*, 239-240

Clay Triple-lines *Cyclophora linearia* (Hb.) (Lep.: Geometridae) in Ireland. *Mark Jeffares*, 110

Cnephasia hellenica Obraztsov, 1956 (Lep. Tortricidae: Tortricinae): an addition to the Bulgarian fauna. *H. E. Beaumont*, 90

Corrigenda, 296

Cydia indivisa Danilevsky, 1963 (Lep.: Tortricidae) new to Britain and other interesting records from Bernwood Forest in Buckinghamshire. *Dave Wilton*, 46-49

Cynaeda dentalis ([D.&S.]) (Lep.: Crambidae), larvae found in Devon. *R. J. Heckford*, 231-232

D

Diplopseustis perieresalis (Walker) (Lep.: Pyralidae) – two records in Bedfordshire. *David Manning*, 290

E

Ectoedemia sericeopeza (Zell.) (Lep.: Nepticulidae): from obscurity to ubiquity? *Robert Homan and Ben Smart*, 286-289

Edinburgh Pug *Eupithecia intricata millieraria* (Wnukowsky) (Lep.: Geometridae) – is this goodbye? *Roy Leverton*, 58-59

Elephant Hawk-moth *Deilephila elpenor* (L.) (Lep.: Sphingidae) feeding at sugar. *Roy Leverton*, 11

Encounters with GeoCaching. *Rob Ryan*, 294

Entomologists I have known. *John F. Burton*, 170-181

Epiblema tetragonana (Stephens) (Lep.: Tortricidae) reared from Dog-rose *Rosa canina* in West Sutherland. *R. J. Heckford*, 154-155

Evidence of *Sciota adelphella* (F. v. R) (Lep.: Pyralidae) breeding in northern Suffolk (VC 25). *Paul Kitchener*, 91-92

F

First instar *Chorthippus brunneus* (Thunberg) (Orth.: Acrididae) in October. *Raymond W. J. Uffen*, 54

Further records of Platygastridae (Hym.: Platygastroidea) from the Isle of Man. *P. N. Buhl and F. D. Bennett*, 61-63

G

Gastrophysa viridula (De Geer) (Col.: Chrysomelidae) does still occur in Kent. *Richard A. Jones*, 50

Gravid female Forester moth *Adscita statices* L. (Lep.: Zygaenidae) nectaring in a Peterborough garden and comments on some other unexpected reports. *Paul Waring*, 77-79

H

Helicoconis hirtinervis Tjeder, 1960 (Neur.: Coniopterygidae) confirmed as a British species from Scotland. *David Pryce*, 145

Hunting for *Hemaris tityus* (L.) (Lep.: Sphingidae) larvae. *Roy Leverton*, 246-247

I

Important Lepidoptera records from the Rothamsted Insect Survey light-trap at Starcross, Devon (VC 3) in 2009. *Philip J. L. Gould*, 12

Interesting and notable moth records for East Gloucestershire (VC 33) from Coln Park, 2008 to 2011. *Benedict John Pollard and Joshua Peter Twining*, 218-220

Interpretations on the display of the Ghost Moth *Hepialus humuli* L. (Lep.: Hepialidae) and the role of pheromones. *Nicholas Picozzi and Alison Espie*, 182-184

L

Late records of an aberrant *Miltochrista miniata* (Forst.) Rosy Footman and *Eilema depressa* (Esp.) Buff Footman (Lep.: Arctiidae): in Dorset (VC 9). *Leslie J. Hill*, 55

M

Man bitten by *Cardiastethus fasciiventris* (Garbiglietti) (Hem., Anthocoridae). *Rob Ryan*, 156

Maple Pug *Eupithecia inturbata* (Hübner) (Lep.: Geometridae) in Roxburghshire, the first confirmed Scottish records. *Roy Leverton, Andrew Bramhall and Andrew Fitchett*, 238-239

Marbled pug *Eupithecia irriguata* (Hb.) (Lep.: Geometridae) in Cumbria: A new county resident. *Stuart Colgate and Brian Hancock*, 155-156

Mompha bradleyi Riedl (Lep.: Momphidae) in East Suffolk. *Paul Kitchener*, 83

N

New Lepidoptera Records for Kirkcudbrightshire (VC 73). *Euan A. M. MacAlpine*, 70-74

Notable Tortricidae recorded in West Norfolk – Spring 2011. *Jim Wheeler*, 290-291

Notes on Light Orange Underwing *Archiearis notha* (Hb.) (Lep.: Geometridae). *Roger Kemp*, 158

O

Oegoconia quadripuncta (Haworth) (Lep.: Autostichidae) new to the Denbighshire (VC 50) county list. *Philip J. L. Gould*, 293

P

Pandivirilia melaleuca (Loew, 1874) (Dipt.: Therevidae) new to Buckinghamshire. *Martin C. Harvey and Mark G. Telfer*, 278

Peyerimhoffina gracilis Schneider (Neur.: Chrysopidae) in West Sussex. *Tony Davis*, 80-81

Philophorus cinnamopterus (Kirschbaum) (Het. Miridae) in Edinburgh – a new species for Scotland. *Nick A. Littlewood*, 53-54

Phtheochroa schreibersiana (Frölich) (Lep.: Tortricidae) re-found in Britain in Buckinghamshire. *Peter R. Hall*, 107-110

Possible new sites for *Trichopteryx polycommata* ([D. & S.]) Barred Tooth-striped (Lep.: Geometridae) in Dorset (VC9). *L. J. Hill*, 153-154

R

Recent moths new to the Isle of Wight. *Sam Knill-Jones*, 221

Revised names of UK butterflies. *Richard Fox and Simon Spencer*, 232-234

S

Scottish records of the Water Ermine *Spilosoma urticae* (Esper) (Lep.: Arctiidae). *Nick J. Riddiford and Deryk Shaw*, 92-93

Small Ranunculus *Hecatera dysodea* (D.&S.) (Lep.: Noctuidae) larvae found in south-east Suffolk (VC 25). *Tony Prichard*, 212

Some notes on the “hauderi” form of *Caloptilia semifascia* (Haw.) in north-west Kent (Lep.: Gracillariidae). *Paul Sokoloff*, 291-293

Splendid Brocade *Lacanobia splendens* (Hb.) (Lep.: Noctuidae) on Shetland: The first for Scotland. *Paul Harvey*, 146

Stathmopoda pedella (L.) (Lep.: Stathmopodidae): new to East Gloucestershire (VC 33). *Benedict John Pollard*, 105-106

Stathmopoda pedella (Linnaeus, 1761) (Lep.: Oecophoridae), a micromoth new to East Gloucestershire (VC 33), with various accompanying notes on its ecology and conservation. *Benedict John Pollard*, 81-83

Stigmella dryadella (Hofmann) (Lep.: Nepticulidae) larvae in April and May. *Miss S. D. Beavan and R. J. Heckford*, 160-161

T

Tamarisk Peacock *Chiasmia aestimaria* (Hb.) (Lep.: Geometridae) – a species new to Sussex. *Steven Teale*, 45-46

The Buff Footman *Eilema depressa* (Esper) (Lep.: Arctiidae) is the latest species to move into central Scotland. *John T. Knowler*, 220-221

The earliest known British mainland record of Jersey Mocha *Cyclophora ruficiliaria* (Herrich-Schäffer) (Lep.: Geometridae) in Dorset in 1996. *Martin Townsend*, 57-58

The habits of Dock Leaf Beetle *Gastrophysa viridula* (De Geer) (Col.: Chrysomelidae). *Keith N. A. Alexander*, 80

The *hauderi* form of *Caloptilia semifascia* (Haw.) in the London area (Lep.: Gracillariidae). *Colin W. Plant*, 159-160

The Jersey Tiger at light. *Tim Peet*, 284

The use of a car vacuum cleaner for collecting Hemiptera-Heteroptera from mosses. *Rob Ryan*, 161-162

The Vapourer *Orgyia antiqua* L. (Lep.: Lymantriidae), on the Channel Islands. *Philip J. L. Gould*, 50-51

The yellow ab. *lutescens* Stdgr. of the Jersey Tiger *Euplagia quadripunctaria* (Poda) (Lep.: Arctiidae) on Guernsey. *P. D. M. Costen and M. P. Lawlor*, 157-158

The yellow ab. *lutescens* Stdgr. of the Jersey Tiger *Euplagia quadripunctaria* (Poda) (Lep.: Arctiidae). *Roger Hayward*, 240-241

Two unseasonal records of *Orthosia gothica* (L.) Hebrew Character (Lep.: Noctuidae) in Dorset (VC 9). *L. J. Hill*, 283

Two unusual macro-moth records from Buckinghamshire. *Dave Wilton*, 51-53

U

Unseasonal Common Quaker *Orthosia cerasi* Fabr. (Lep.: Noctuidae) in Middlesex (VC 21). *Debbie Pledge*, 282-283

Unusual refreshment for an Old Lady? Old Lady *Mormo maura* (L.) (Lep.: Noctuidae) drinking water. *Roger Hayward*, 221

Valenzuela atricornis McLachlan (Psocoptera: Caeciliusidae) new to Leicestershire and the East Midlands. *Keith N. A. Alexander*, 53

W

Welsh Wave *Venusia cambrica* Curtis (Lep.: Geometridae) larva found on Alder *Alnus glutinosa*. *Roy Leverton*, 284-285

Winter Moth *Operophtera brumata* (L.) (Lep.: Geometridae) males surviving prolonged snow cover. *Roy Leverton*, 59-60

3: SUBSCRIBERS' NOTICES AND ANNOUNCEMENTS

Brownfield Moth Special, 63

Brownfield Moth Special – Second call for contributions, 152

4: BOOK REVIEWS

Aphids – Aphidinae (Macrosiphini), Handbooks for the Identification of British Insects, Volume 2, Part 7, 247-248

British and Irish moths: an illustrated guide to selected difficult species by Martin C. Townsend, Jon Clifton and Brian Goodey, 102-104

British and Irish moths: an illustrated guide to selected difficult species: an important correction, 152

British Plume Moths, 296

Extreme Insects by Richard Jones, 100-101

Ladybirds (Coccinellidae) of Britain and Ireland, 199-200

Porritt's Lists edited by H. M. Frost, H. E. Beaumont, T. J. Crawford, G. Fryer and C. S. V. Yeates, 99-100

Porritt's Lists: missing information, 152

Provisional Atlas of the UK's Larger Moths by Les Hill, Zoë Randle, Richard Fox and Mark Parsons, 55-56

Pyraloidea (Lepidoptera) of Central Europe/Mitteleuropas by František Slamka, 98-99

Scorpions of the World by Roland Stockman & Eric Ythier, 101-102

5: OBITUARIES

Michael Fibiger, 128-130

Arthur H. B. Rydon, 74-76

6: CORRIGENDA

Page 296

7: CONTRIBUTORS

Page number entries in **bold** refer to peer-reviewed papers; entries in ordinary type refer to Notes and other communications that have been refereed internally by the Editor and his colleagues. Where an author is not the first named of multiple authors, the page number entry is printed in italic type.

Agassiz David J. L.....	50-151
Alexander Keith N. A.....	53; 80
Ashe Patrick.....	190-194
Banhorpe Melissa G.....	242-246
Beaumont H. E.....	90
Beavan S. D.....	160-161; 279-282
Bennett F. D.....	61-63
Beshkov Stoyan.....	147-150; 163-169
Bramhall Andrew.....	238-239
Bristow C. Roger.....	235-237
Buhl P. N.....	61-63
Burckhardt Daniel H.....	131-144
Burton John F.....	170-181
Campbell Wendy.....	239-240
Clancy Sean P.....	13-44
Clayton John.....	185-189
Colgate Stuart.....	155-156
Costen Peter D. M.....	1-11 ; 157-158
Davis Tony.....	80-81
Dickerson Barry.....	95-97
Espie Alison.....	182-184
Fitchett Andrew.....	238-239
Fox R.....	206-211
Fox Richard.....	232-234
Gardiner Tim.....	222-231
Gould Philip J. L.....	12; 50-51; 241; 293
Hall Peter R.....	107-110
Hancock Brian.....	155-156
Harvey Martin C.....	278
Harvey Paul.....	146
Hayward Roger.....	221; 240-241; 241
Heckford R. J.....	64-69; 111-127; 154-155; 160-161; 231-232; 279-282
Hill L. J.....	55; 93-95; 153-154; 206-211 ; 283; 283
Hoejgaard Kurt.....	147-150
Homan Robert.....	60; 286-289
Jeffares Mark.....	110
Jenner Phil.....	93-95
Jones Richard A.....	50; 51
Kemp Roger.....	158
Kitchener Paul.....	83; 91-92
Knill-Jones Sam.....	221
Knowler John T.....	220-221
Langmaid J. R.....	249-277
Lawlor M. P.....	157-158
Lawrence Nittaya.....	198-199
Leverton Roy.....	11; 58-59; 59-60; 238-239; 246-247; 284-285
Lindsay Malcolm.....	61
Littlewood Nick A.....	53-54
MacAlpine Euan A. M.....	70-74
Manning David.....	290
O'Connor James P.....	190-194
Palmer Keith.....	285
Parks Ralph.....	198-199
Peet Tim.....	284
Pickles Anthony J.....	201-205
Picozzi Nicholas.....	182-184
Plant Colin W.....	93-95; 146; 159-160
Pledge Debbie.....	82-283
Pollard Benedict John.....	81-83; 105-106; 218-220
Prichard Tony.....	212
Pryce David.....	145
Randle Zoe.....	206-211
Riddiford Nick J.....	92-93
Ryan Rob.....	156; 161-162; 294
Sale Ben.....	194
Shaw Deryk.....	92-93
Shortall Chris R.....	195-198
Smart Ben.....	286-289
Smyllie Bill.....	213-217
Sokoloff Paul.....	291-293
Spencer Simon.....	232-234
Springate Lawrie S.....	131-144
Springate Neil D.....	131-144
Sterling Philip H.....	1-11
Teale Steven.....	45-46
Telfer Mark G.....	278
Timmis Georgie L. S.....	195-198
Townsend Martin C.....	57-58; 198-199
Twining Joshua Peter.....	218-220
Uffen Raymond W. J.....	54
Waring Paul.....	77-79
Wheeler Jim.....	290-291
Wilton Dave.....	46-49; 51-53
Wood Andrew.....	194
Young M. R.....	249-277
Zlatkov Boyan.....	84-89; 163-169

SPECIAL INDEX

Compiled by Catherine Wellings

Taxa newly described in this volume are indexed in **bold type**.

Taxa new to, or newly recognised in, the British Isles and mentioned first in this volume are denoted by an asterisk.

	Page		Page
LEPIDOPTERA			
abbreviana, <i>Epinotia</i>	271	algae, <i>Cryphia</i>	27, 244, 296
abbreviata, <i>Eupithecia</i>	155	alni, <i>Acronicta</i>	220
abdominalis, <i>Argyresthia</i>	258	alpicola, <i>Parornix</i>	160
abietana, <i>Acleris</i>	241, 269	alpinana, <i>Dichrorampha</i>	273
abietaria, <i>Eupithecia</i>	23	alpinella, <i>Elachista</i>	262
abietella, <i>Dioryctria</i>	21, 276	alpinella, <i>Platytetis</i>	19, 274
abscisana, <i>Lobesia</i>	73, 270	alstromeriana, <i>Agonopterix</i>	263
absinthii, <i>Cucullia</i>	96	amandus, <i>Polyommatus</i>	149
absoluta, <i>Tuta</i>	250, 265	amani, <i>Ectoedemia</i>	253
acaciae, <i>Satyrium</i>	148	ambigualis, <i>Scoparia</i>	274
acanthadactyla, <i>Amblyptilia</i>	73, 277	ambiguella, <i>Eupoecilia</i>	18
aceraria, <i>Alsophila</i>	164, 168	amplana, <i>Cydia</i>	18, 39, 58
aceris, <i>Stigmella</i>	254, 289	anachoreta, <i>Clostera</i>	24
acetosae, <i>Enteucha</i>	254	anatipennella, <i>Coleophora</i>	261
<i>Acleris</i> spp.	111-127	anceps, <i>Apamea</i>	219
acroxantha, <i>Tachystola</i>	263	angustella, <i>Nephopterix</i>	21, 277
acuminatana, <i>Dichrorampha</i>	273	angusticolella, <i>Emmetia</i>	254
acutellus, <i>Sclerocona</i>	19, 221, 250, 275, 277	angustiorana, <i>Ditula</i>	268
adelphella, <i>Sciota</i>	91-92	ankeraria, <i>Desertobia</i>	163-169
adippe, <i>Argynnis</i>	149	annularia, <i>Cyclophora</i>	22
adjectella, <i>Coleophora</i>	260	annulatella, <i>Rhigognostis</i>	260, 279-282
adustella, <i>Blastobasis</i>	266	anthyllidella, <i>Aproaerema</i>	72
advenaria, <i>Cephalis</i>	12, 24	antiopa, <i>Aglais</i>	22, 149
advenella, <i>Trachycera</i>	276	antiopa, <i>Nymphalis</i> =	
aegeria, <i>Pararge</i>	217, 222, 228	antiopa, <i>Aglais</i>	22, 149
aeratana, <i>Dichrorampha</i>	273	antiqua, <i>Orgyia</i>	50-51
aerugula, <i>Nola</i>	26	aprilina, <i>Dichonia</i>	282
aestimaria, <i>Chiasmia</i>	14, 24, 45	arcania, <i>Coenonympha</i>	149
aethiops, <i>Xenolechia</i>	250, 264	arceuthata f. <i>intricata</i> , <i>Eupithecia</i>	58
affinis, <i>Bryotropha</i>	264	arcuella, <i>Olethreutes</i>	64-69, 269
agestis x artaxerxes, <i>Aricia</i>	213-217	arenella, <i>Agonopterix</i>	263
agestis, <i>Aricia</i> .148, 213-217, 227, 228, 229		argiolus, <i>Celastrina</i>	148, 228
aglaja, <i>Argynnis</i>	149	argyrana, <i>Pammene</i>	272
agnotana, <i>Pammene</i>	291	argyroepeza, <i>Ectoedemia</i>	277
agrotina, <i>Elaphria</i>	14, 29	arion, <i>Phengaris</i>	148
albedinella, <i>Bucculatrix</i>	256	armigera, <i>Helicoverpa</i>	29, 40, 91
albersana, <i>Eucosmomorpha</i>	48	artaxerces, <i>Aricia</i>	213-217
albicosta, <i>Coleophora</i>	261	aruncella, <i>Micropterix</i>	252
albidella, <i>Biselachista</i>	262	asbolaea, <i>Barea</i>	249, 263
albimaculea, <i>Denisia</i>	262	asella, <i>Heterogenea</i>	48
albipuncta, <i>Mythimna</i>	26, 96	asinalis, <i>Mecyna</i>	275
albireniformis, <i>Raphiscopa</i>	186	aspersana, <i>Acleris</i>	269
albovenosa, <i>Simyra</i>	27	assectella, <i>Acrolepiopsis</i>	71, 260
albuginana, <i>Pammene</i>	291	assimilella, <i>Stigmella</i>	253
albula, <i>Meganola</i>	95	atalanta, <i>Vanessa</i>	34, 228
alceae, <i>Carcharodus</i>	148	athalia, <i>Melitaea</i>	149
alcyonipenella, <i>Coleophora</i>	261	atra, <i>Blastodacna</i>	221, 267
		atrella, <i>Eulamprotes</i>	264
		atricapitana, <i>Cochylis</i>	267

atricollis, <i>Ectoedemia</i>	252
atricomella, <i>Elachista</i>	262
atrifrontella, <i>Ectoedemia</i>	253
atriplicis, <i>Trachea</i>	27
atropos, <i>Acherontia</i>	24, 39, 41
aurago, <i>Xanthia</i>	282
aurana, <i>Pammene</i>	272
aurantiaria, <i>Phigaliohybernia</i>	164-168
aureatella, <i>Micropterix</i>	252
aurelia, <i>Melitaea</i>	149
auriciliella, <i>Bohemannia</i>	252
auricoma, <i>Acronicta</i>	27
autumnaria, <i>Ennomos</i>	24
autumnitella, <i>Acrolepia</i>	260
avellanella, <i>Semioscopis</i>	263
azaleella, <i>Caloptilia</i>	291
badia, <i>Anatrachyntis</i>	39
badiella, <i>Depressaria</i>	263
badiipennella, <i>Coleophora</i>	260
bankiana, <i>Deltote</i>	30, 40
basigutella, <i>Stigmella</i>	253
berberata, <i>Pareulype</i>	23
bergmanniana, <i>Acleris</i>	269
betulella, <i>Coleophora</i>	261
betuletana, <i>Apotomis</i>	270
betulicola, <i>Caloptilia</i>	256
bifasciana, <i>Piniphila</i>	269
bilbaensis, <i>Aethes</i>	14, 18
bilunana, <i>Epinotia</i>	270
binaevella, <i>Phycitodes</i>	277
binaria, <i>Watsonalla</i>	22
bipunctella, <i>Ethmia</i>	17, 91
bipunctidactyla, <i>Stenoptilia</i>	73, 277
biren, <i>Papestra</i>	95
bistriga, <i>Cryptoblabes</i>	276
biviella, <i>Vitula</i>	91
blanda, <i>Hoplodrina</i>	219
blandella, <i>Caryocolum</i>	265
blomeri, <i>Discoloxia</i>	95
boeticus, <i>Lampides</i>	21
boisduvaliella, <i>Pima</i>	91
bradleyi, <i>Mompha</i>	83, 266
brassicae, <i>Pieris</i>	228
britomartis, <i>Melitaea</i>	149
brizella, <i>Aristotelia</i>	91, 264
brongniardella, <i>Acrocercops</i>	257
brumata, <i>Operophtera</i>	59-60
brunneata, <i>Itame</i>	24, 91, 243
brunnichana, <i>Epinotia</i>	271
caecana, <i>Grapholita</i>	272
caespitiella, <i>Coleophora</i>	262
cagnagella, <i>Yponomeuta</i>	259
cagnegella, <i>Agyresthia</i>	71
c-album, <i>Polygonia</i>	149, 228
cambrica, <i>Venusia</i>	284-285
canapennella, <i>Elachista</i>	262
caniola, <i>Eilema</i>	25
caradjai, <i>Oegoconia</i>	293

cardamines, <i>Anthocharis</i>	228
cardui, <i>Vanessa</i>	34-35, 210, 228
carniolica, <i>Zygaena</i>	148
carphodactyla, <i>Euleioptilus</i>	277
carpinella, <i>Parornix</i>	257
cassiae, <i>Opsiphanes</i>	235
cassina, <i>Opsiphanes</i>	235, 236
cataluanalis, <i>Antigastra</i>	20
catharticella, <i>Stigmella</i>	254
cautella, <i>Ephestia</i>	39
centifoliella, <i>Stigmella</i>	253
centrago, <i>Atethmia</i>	52, 219
cerasana, <i>Pandemis</i>	268
cerasi, <i>Orthosia</i>	282, 283
cerasicolella, <i>Phyllonorycter</i>	257
cespitan, <i>Celypha</i>	269
chaerophyllella, <i>Epermenia</i>	273
chalcites, <i>Chrysodeixis</i>	30, 244
chi, <i>Antitype</i>	207
chrysitis, <i>Diachrysia</i>	146
chrysolepidella, <i>Eriocrania</i>	252
chrysorrhoea, <i>Euproctis</i>	146, 198-199
cicatricella, <i>Eriocrania</i>	252
cicatricella, <i>Haimbachia</i>	19
cidarella, <i>Bucculatrix</i>	256
cilium, <i>Spodoptera</i>	14, 28
cinerella, <i>Acompsia</i>	221, 265
cinnamomeana, <i>Pandemis</i>	268
circe, <i>Hipparchia</i>	149
circellaris, <i>Agrochola</i>	83
circumvoluta, <i>Myelois</i>	73
clerkella, <i>Lyonetia</i>	260
climene, <i>Esperarge</i>	149
cloraria, <i>Chlorissa</i>	1-10
cloraria, <i>Geometra</i>	1
clypeiferella, <i>Coleophora</i>	262
cnicana, <i>Aethes</i>	267
comae, <i>Timandra</i>	219
comariana, <i>Acleris</i>	269
combinella, <i>Pseudoswammerdamia</i>	259
comparella, <i>Phyllonorycter</i>	258
complana, <i>Eilema</i>	221
compositella, <i>Grapholita</i>	272
compunctella, <i>Swammerdamia</i>	259
confusa, <i>Macdunnoughia</i>	14, 30-31, 40, 91
conicolana, <i>Cydia</i>	273
conjugella, <i>Argyresthia</i>	259
consimilana, <i>Clepsis</i>	268
consortella, <i>Cosmiotes</i>	71
continuella, <i>Stigmella</i>	253
conturbatella, <i>Mompha</i>	266
convolvuli, <i>Agrius</i>	35-36
conwagana, <i>Pseudargyrotoza</i>	268
conyzae, <i>Coleophora</i>	261
coronata, <i>Phlyctaenia</i>	275
corrosus ssp. <i>tamarindi</i> , <i>Opsiphanes</i>	235
corylana, <i>Pandemis</i>	268

coryli, <i>Phyllonorycter</i>	257
corylifoliella, <i>Phyllonorycter</i>	257
costalis, <i>Hypsopygia</i>	276
costella, <i>Scrobipalpa</i>	72, 265
costipunctana, <i>Epiblema</i>	272
crassa, <i>Agrotis</i>	26
crassalis, <i>Hypena</i>	31, 95
crataegella, <i>Scythropia</i>	259
crataegi, <i>Aporia</i>	14, 21
cribrellum, <i>Muschampia</i>	147-150
cribrumalis, <i>Macrochilo</i>	97
cristana, <i>Acleris</i>	116, 269
croceus, <i>Colias</i>	34
crocicapitella, <i>Monopis</i>	255
croesella, <i>Adela</i>	194
cuculata, <i>Catarhoe</i>	97
culmella, <i>Chrysoteuchia</i>	274
cupressella, <i>Argyresthia</i>	258
curtisellus, <i>Prays</i>	151
curvatula, <i>Drepana</i>	22
curvella, <i>Argyresthia</i>	71
cyaneimarmorella, <i>Stenoptinea</i>	255
cynosbatella, <i>Epiblema</i>	271
cytisella, <i>Monochroa</i>	264
daphne, <i>Brenthis</i>	149
daucella, <i>Depressaria</i>	263
deauratella, <i>Coleophora</i>	261
deauratella, <i>Oegoconia</i>	293
decorella, <i>Carpatolechia</i>	265
defoliaria, <i>Erannis</i>	164 - 168
degeneraria, <i>Idaea</i>	23
delunella, <i>Eudonia</i>	73, 274
demaryella, <i>Bucculatrix</i>	256
dennisorum ab. <i>rubi</i> , <i>Callophrys</i>	239-240, 296
dentalis, <i>Cynaeda</i>	231-232
denticulella, <i>Callisto</i>	257
depressa, <i>Eilema</i>	55, 73, 220 - 221
despicata, <i>Pyrausta</i>	275
dia, <i>Boloria</i>	149
didyma, <i>Melitaea</i>	149
dilectella, <i>Argyresthia</i>	258
dilutella, <i>Pempeliella</i>	276
diminutana, <i>Ancylis</i>	270
dispar, <i>Lymantria</i>	25, 91
ditella, <i>Haplotinea</i>	255
divisella, <i>Mompha</i>	83
dodecea, <i>Ethmia</i>	17, 48, 264
dodecella, <i>Exoteleia</i>	264
dodonaea, <i>Tischeria</i>	254
dodoneata, <i>Eupithecia</i>	73, 155, 220
domestica, <i>Bryotropha</i>	71
dominula, <i>Callimorpha</i>	97, 244
drurella, <i>Chrysoesthia</i>	264
dryadella, <i>Stigmella</i>	160-161
dubiella, <i>Tinea</i>	256
dubitana, <i>Cochylis</i>	267
dubitella, <i>Phyllonorycter</i>	257

duplicana, <i>Cydia</i>	47
duplicana, <i>Laspeyresia</i>	47
duplicella, <i>Narycia</i>	255
dysodea, <i>Hecatera</i>	96, 212, 243
electa, <i>Catocala</i>	14, 31
elpenor, <i>Deilephila</i>	11
emargana, <i>Acleris</i>	269
emberizaepenella, <i>Phyllonorycter</i>	258
ericella, <i>Crambus</i>	274
ericinella, <i>Aristtelia</i>	264
eriphia, <i>Antichloris</i>	243
erminea, <i>Cerura</i>	39, 41
eroides, <i>Polyommatus</i>	148
erxlebella, <i>Roeslerstammia</i>	256
erythrocephala, <i>Conistra</i>	27
esperella, <i>Phyllonorycter</i>	257
euphorbia, <i>Hyles</i>	24
euphrosyne, <i>Boloria</i>	149
eurema, <i>Trifurcula</i>	253
evonymella, <i>Yponomeuta</i>	259
exclamationis, <i>Agrotis</i>	217
exigua, <i>Spodoptera</i>	28, 91
expallidata, <i>Eupithecia</i>	243
exsiccata, <i>Tathorhynchus</i>	14, 31
exsoleta, <i>Xylena</i>	59
extimalis, <i>Evergestis</i>	19, 275
extrema, <i>Chortodes</i>	97, 244
fagiglandana, <i>Cydia</i>	273
falconipennella, <i>Caloptilia</i>	256, 292
falsella, <i>Catoptria</i>	274
fasciana, <i>Pammene</i>	272
faunus, <i>Ochlodes</i>	148
ferrugalis, <i>Udea</i>	33
ferrugana, <i>Acleris</i>	269
festaliella, <i>Schreckensteinia</i>	273
filicivora, <i>Psychoides</i>	255
fimbrialis, <i>Thalera</i>	22
flagella, <i>Diurnea</i>	263
flammea, <i>Trigonophora</i>	27
flavalis, <i>Mecyna</i>	19
flavicaput, <i>Spuleria</i>	267
fluxa, <i>Chortodes</i>	28
forficella, <i>Donacula</i>	77
formosa, <i>Pempelia</i>	276
formosana, <i>Enarmonia</i>	272
formosanus, <i>Lozotaeniodes</i>	268
forsterana, <i>Lozotaenia</i>	268
fovealis, <i>Duponchella</i>	20, 39, 41, 91, 276
fraternana, <i>Epinotia</i>	48, 271
fraternella, <i>Caryocolum</i>	265
fraxinella, <i>Prays</i>	150-151, 259
fraxini, <i>Catocala</i>	31, 39
freyerella, <i>Cosmiotes</i>	262
friesei, <i>Ocnerostoma</i>	259
frischella, <i>Coleophora</i>	261
fucosa, <i>Amphipoea</i>	95
fugitivella, <i>Carpatolechia</i>	265
fuliginaria, <i>Parascotia</i>	31, 96, 209, 244

fulviguttella, <i>Phaulernis</i>	273
fumatella, <i>Chionodes</i>	72, 265
funebrana, <i>Grapholita</i>	272, 291
furfurana, <i>Bactra</i>	73
fusca, <i>Pyla</i>	276
fuscalis, <i>Opsibotys</i>	275
fuscantaria, <i>Ennomos</i>	219
fuscatella, <i>Lampronia</i>	254
fuscocuprella, <i>Coleophora</i>	260
galathea, <i>Melanargia</i>	149
gallii, <i>Hyles</i>	24, 39, 96
gamma, <i>Autographa</i>	31, 38-39, 146
gangabella, <i>Elachista</i>	48, 262
geniculea, <i>Agriphila</i>	274
genitalana, <i>Cnephasia</i>	269
gerningana, <i>Philedone</i>	268
giganteana, <i>Pammene</i>	48, 272, 291
gigantella, <i>Schoenobius</i>	77, 274
gilvata, <i>Uresiphita</i>	275
glabratella, <i>Argyresthia</i>	48, 258
glareosa, <i>Eugnorisma</i>	97
glaucicolella, <i>Coleophora</i>	262
glaucinella, <i>Argyresthia</i>	259
glutinosae, <i>Stigmella</i>	254
gothica, <i>Orthosia</i>	217, 283
granella, <i>Nemapogon</i>	255
granitana, <i>Epinotia</i>	271
grisella, <i>Achroia</i>	276
griseola, <i>Eilema</i>	221
grossulariata, <i>Abraxas</i>	146
grotiana, <i>Epagoge</i>	268
haasi, <i>Plutella</i>	250, 260
hartigiana, <i>Cymolomia</i>	39
hastata, <i>Rheumaptera</i>	48
hastiana, <i>Acleris</i>	113, 116, 117, 119, 269
hauderi <i>Caloptilia</i>	159-160, 291-293
hauderi, <i>Calybites</i>	159, 292
haworthii, <i>Celaena</i>	12
hecate, <i>Brenthis</i>	149
hellenica, <i>Cnephasia</i>	90
helveticaria f. <i>intricata</i> , <i>Eupithecia</i>	59
hemerobiella, <i>Coleophora</i>	261
heparana, <i>Pandemis</i>	268
hepariella, <i>Zelleria</i>	259
hepatica, <i>Lithophane</i>	220, 245
heraclei, <i>Depressaria</i>	263
heracliana, <i>Agonopterix</i>	263
heringella, <i>Ectoedemia</i>	253
heringi, <i>Ectoedemia</i>	253
heydeniana, <i>Cochylidia</i>	267
hilarella, <i>Phyllonorycter</i>	257
hirtaria, <i>Lycia</i>	219
hortulata, <i>Eurrhypara</i>	275
hospes, <i>Proxenus</i>	14, 28-29
hostis, <i>Phyllonorycter</i>	221, 257
humuli, <i>Hepialus</i>	182-184, 219
hylaeiformis, <i>Pennisetia</i>	242
hyperantus, <i>Aphantopus</i>	227, 228, 229

icarus, <i>Polyommatus</i>	148, 213-217, 228
icteritia, <i>Xanthia</i>	282
ignorata, <i>Pammene</i>	272
ilicis, <i>Satyrium</i>	148
illioneus, <i>Caligo</i>	235, 236
illutana, <i>Cydia</i>	46, 273
immundana, <i>Epinotia</i>	270
incarnatana, <i>Epiblema</i>	73
incarnatella, <i>Rhigognostis</i>	260
incerta, <i>Orthosia</i>	217
incognitella, <i>Stigmella</i>	253
indivisa, <i>Cydia</i> *	46-49, 249, 273
ino, <i>Brenthis</i>	149
instabilella, <i>Scrobipalpa</i>	72, 265
internana, <i>Grapholita</i>	272
interrogationis, <i>Syngrapha</i>	91
interruptana, <i>Grapholita</i>	47
intricata, <i>Eupithecia</i>	58-59
inturbata, <i>Eupithecia</i>	238-239
io, <i>Aglais</i>	228, 234
io, <i>Inachis</i>	228
epsilon, <i>Agrotis</i>	37, 51
irriguata, <i>Eupithecia</i>	155-156
irrorella, <i>Yponomeuta</i>	259
isertana, <i>Zeiraphera</i>	271
isodactylus, <i>Platyptilia</i>	277
italica, <i>Metalampra</i>	262
itea, <i>Vanessa</i>	21
jacobaeae, <i>Tyria</i>	219
janiszewskae, <i>Sorhagenia</i>	267
janthinana, <i>Grapholita</i>	73, 272
josephinae, <i>Pseudatemelia</i>	263
juncicolella, <i>Coleophora</i>	261
jungiella, <i>Grapholita</i>	273
junoniella, <i>Phyllonorycter</i>	257
jurtina, <i>Maniola</i>	149, 217, 228
juvernica, <i>Leptidea</i>	233
kadenii, <i>Platyperigea</i>	28, 40, 91, 244
kleemannella, <i>Phyllonorycter</i>	258
kuehniella, <i>Ephestia</i>	21
lacteana, <i>Bactra</i>	73, 270
lacteella, <i>Mompha</i>	266
lacticolella, <i>Blastobasis</i>	266
lacustrata, <i>Dipleurina</i>	274
laetana, <i>Ancylis</i>	290
laetus, <i>Crombruggchia</i>	40
laevigatella, <i>Argyresthia</i>	71, 258
laichartingella, <i>Diplodoma</i>	255
lancealis, <i>Perinephela</i>	275
langiella, <i>Mompha</i>	266
lapidella, <i>Luffia</i>	255
laricella, <i>Coleophora</i>	261
larseniella, <i>Syncopacma</i>	265
lassella, <i>Coleophora</i>	262
laterana, <i>Acleris</i>	269
lathonia, <i>Issoria</i>	22, 149
lathoniellus, <i>Crambus</i>	274
lautella, <i>Phyllonorycter</i>	257

leautieri, *Lithophane* 83
 lecheana, *Ptycholoma* 268
 legatella, *Chesias* 241
 lemnata, *Cataclysta* 275
 lemniscella, *Stigmella* 253
 leucogaster, *Ochropleura* 26, 39
 leucographa, *Cerastis* 243
 leucographella, *Phyllonorycter* 257
 leucophaeana var. *hastiana*, *Acleris* 116
 leucotreta, *Thaumatotibia* 18
 leuwenhoeckella, *Pancalia* 267
 licarsialis, *Herpetogramma* 14, 20
 lichenea, *Polymixis* 95
 lichenella, *Dahlica* 255
 lienigianus, *Ovendenia* 277
 lienigiella, *Cosmopterix* 250, 267
 limbata, *Evergestis* 19
 limbirena, *Ctenoplusia* 14, 30
 limosipennella, *Coleophora* 260
 linearia, *Cyclophora* 110
 lineola, *Eudonia* 274
 lineolea, *Coleophora* 261
 literana, *Acleris* 290
 lithoxylaea, *Apamea* 219
 littoralis, *Lobesia* 270
 litura, *Agrochola* 219
 livornica, *Hyles* 14, 24, 40
 lixella, *Coleophora* 261
 ljungiana, *Argyrotaenia* 268
 lobarzewski, *Grapholita* 273
 locupletella, *Mompha* 72, 266
 loganella, *Parornix* 257
 logiana, *Acleris* 269
 longicaudella, *Ectoedemia* 48
 loreyi, *Mythimna* 14, 26
 lota, *Agrochola* 83
 lotella, *Anerastia* 276
 lotella, *Leucoptera* 260
 lousiella, *Ectoedemia* 286
 lubricipeda, *Spilosoma* 219
 lucens, *Amphipoea* 28
 lucida, *Acontia* 30
 lucidella, *Monochroa* 71
 luctuata, *Spargania* 23
 lueneburgensis, *Aporophyla* 95
 lunaedactyla, *Marasmarcha* 277
 lunaris, *Minucia* 31
 lunula, *Calophasia* 244
 lunulana, *Grapholita* 273, 277
 lunularia, *Selenia* 24
 lusciniaepennella, *Coleophora* 277
 lutarea, *Metriotes* 260
 lutealis, *Udea* 275
 lutescens ab. *quadripunctaria*,
 Euplagia 157-158, 240
 luteum, *Spilosoma* 219
 lutosa, *Rhizedra* 219
 luzella, *Lampronia* 254

lychnidis, *Agrochola* 83, 219
 maccana, *Acleris* 117
 machaon, *Papilio* 21
 macilenta, *Agrochola* 83
 maculana, *Epinotia* 271
 magdalena, *Stigmella* 254
 malvae, *Pyrgus* 148
 manniana, *Phalonidia* 72, 218
 mannii, *Pieris* 148
 margaritella, *Catoptria* 274
 marginaria, *Phigalioides* 164-168
 marginepunctata, *Scopula* 244
 maritima, *Bucculatrix* 71, 256
 maritimella, *Coleophora* 71
 maritimus, *Chilodes* 77, 219
 masculella, *Incurvaria* 254
 maura, *Mormo* 221
 mayrella, *Coleophora* 71, 261
 melanopa, *Anarta* 61
 mellonella, *Galleria* 276
 memnon, *Caligo* 235, 236
 mendica, *Diaphora* 146
 menus ssp. *telamonius*, *Caligo* 236, 237
 mercurella, *Eudonia* 274
 metallella, *Antispila* 255
 metis, *Apatura* 148
 metzneriella, *Metzneria* 71, 264
 micalis, *Tebenna* 14, 16-17
 micana, *Olethreutes* 269
 micella, *Argolamprotes* 264
 microgrammana, *Cydia* 273
 millefoliata, *Eupithecia* 243
 millenniana, *Cydia* 273
 millieraria f. *intricata*, *Eupithecia* 58-59
 miniata, *Miltochrista* 55
 minimella, *Ectoedemia* 253
 minimella, *Nemophora* 255
 minimus, *Cupido* 148
 miniosa, *Orthosia* 26, 244
 molliculana, *Cochylis* 267
 monodactyla, *Emmelina* 73, 277
 muelleriella, *Phyllonorycter* 257
 mulinella, *Mirificarma* 265
 murana, *Eudonia* 274
 muscerda, *Pelosia* 25
 myrtillana, *Ancylis* 270
 myrtillana, *Rhopobota* 271
 naevana, *Rhopobota* 271
 nana, *Cochylis* 267
 nanana, *Epinotia* 271
 napi, *Pieris* 148, 228
 nebulata, *Euchoea* 23, 284
 nebulella, *Paraswammerdamia* 259
 nemoralis, *Agroterta* 20, 276
 nervosa, *Agonopterix* 264
 neuropterella, *Metzneria* 264
 neustria, *Malacosoma* 190, 198
 ni, *Trichoplusia* 14, 244

nigra, <i>Gelechia</i>	265
nigrana f. hastiana, <i>Acleris</i>	117
nigricana, <i>Cydia</i>	273
nigricana, <i>Epinotia</i>	270
nigricomella, <i>Bucculatrix</i>	60, 221, 256
niobe, <i>Argynnис</i>	149
nisella, <i>Epinotia</i>	270
nitentella, <i>Scrobipalpa</i>	72
niveicostella, <i>Coleophora</i>	261
noctuella, <i>Nomophila</i>	32, 33-34, 275
notatella, <i>Carpatolechia</i>	265
notha, <i>Archiearis</i>	93-95, 158
nubiferana, <i>Hedya</i>	269
nubilalis, <i>Ostrinia</i>	19, 275
nymphaeata, <i>Elophila</i>	275
oblittella, <i>Ancyclosis</i>	21
obscurana, <i>Pammene</i>	272, 290
obscurepunctella, <i>Perittia</i>	262
obsitalis, <i>Hypena</i>	31
obsoleta, <i>Mythimna</i>	73, 218, 244
obsoletella, <i>Scrobipalpa</i>	72
obstipata, <i>Orthonama</i>	35, 91
occulta, <i>Eurois</i>	26, 39-40, 91
ocellana, <i>Agonopterix</i>	263
ocellea, <i>Euchromius</i>	13, 14, 18, 39
ochrata, <i>Idaea</i>	23
ochrodactyla, <i>Platyptilia</i>	277
ochroleucana, <i>Hedya</i>	269
ochsenheimeriana, <i>Pammene</i>	272
oehlmanniella, <i>Incurvaria</i>	254
ohridella, <i>Cameraria</i>	258, 287, 289
oleae, <i>Prays</i>	14, 17, 250, 259
oleastrella, <i>Zelleria</i>	14, 17
olerella, <i>Depressaria</i>	263
omoscopa, <i>Opogona</i>	16, 40
ononidis, <i>Parectopa</i>	257
oppressana, <i>Gypsonoma</i>	271
orbifer, <i>Spialia</i>	148
orbitella, <i>Coleophora</i>	48
orichalcea, <i>Cosmopterix</i>	266
orichalcea, <i>Thysanoplusia</i>	30,
orobana, <i>Grapholita</i>	277
otregiata, <i>Lampropteryx</i>	95
oxyacanthalae, <i>Allophyes</i>	83, 282
oxyacanthella, <i>Stigmella</i>	254
pactolana, <i>Cydia</i>	47, 107, 109, 273
padella, <i>Yponomeuta</i>	259
palealis, <i>Sitochroa</i>	19
pallescentella, <i>Tinea</i>	256
pallida, <i>Eudonia</i>	73, 274
pallidata, <i>Evergestis</i>	275
palpellus, <i>Aplota</i>	263
palpina, <i>Pterostoma</i>	220
paludis ssp. <i>fucosa</i> , <i>Amphipoea</i>	95
paludum, <i>Buckleria</i>	277
pamphilus, <i>Coenonympha</i>	149
pandora, <i>Argynnис</i>	149
paphia, <i>Argynnис</i>	149, 222, 230
pappiferella, <i>Coleophora</i>	261
parasitella, <i>Ephestia</i>	277
parenthesella, <i>Ypsolopha</i>	259
parthenias, <i>Archiearis</i>	93-95
partita, <i>Galgula</i>	14, 29
parva, <i>Eublemma</i>	30
pascuella, <i>Crambus</i>	274
pavonia, <i>Saturnia</i>	84 -89
pavoniella, <i>Saturnia</i>	84 -89
pectinea, <i>Incurvaria</i>	254
pedella, <i>Stathmopoda</i>	81-83, 105-106, 218, 266
pellionella, <i>Tinea</i>	256
peltigera, <i>Heliothis</i>	14, 29, 40
pennaria, <i>Colotois</i>	283
peregrina, <i>Prays</i>	17
peribenanderi, <i>Coleophora</i>	261
perieresalis, <i>Diplopseustis</i>	14, 20, 275, 290
perlella, <i>Crambus</i>	274
permixtana, <i>Gynnidiomorpha</i>	267
perpygmaeella, <i>Stigmella</i>	253
persicariae, <i>Melanchra</i>	219
perspectalis, <i>Diaphania</i>	14, 20, 250, 276
petraea, <i>Arabadopsis</i>	250
phasianipenella, <i>Calybites</i>	256
phlaeas, <i>Lycaena</i>	222, 227, 228, 229
phragmitella, <i>Limnaecia</i>	72
phragmitidis, <i>Arenostola</i>	73
pinella, <i>Catoptria</i>	274
pinguinalis, <i>Aglossa</i>	276
pini, <i>Dendrolimus</i>	22
pinivorana, <i>Rhyacionia</i>	272
plagicorella, <i>Stigmella</i>	253
platani, <i>Phyllonorycter</i>	257
platanoidella, <i>Phyllonorycter</i>	258
plebejana, <i>Crocidosema</i>	271
plexippus, <i>Danaus</i>	22
plumbana, <i>Dichrorampha</i>	73
plumbella, <i>Yponomeuta</i>	259
plumigeralis, <i>Pechipogo</i>	31
podalirius, <i>Iphiclides</i>	14, 21
podana, <i>Archips</i>	268
politella, <i>Bryotropha</i>	264
polychloros, <i>Nymphalis</i>	21-22, 149
polychoros, <i>Aglais</i>	21-22, 149
polycommata, <i>Trichopteryx</i>	153-154
polygonalis, <i>Uresiphita</i>	19
polygrammata, <i>Costaconvexa</i>	23, 242
polyodon, <i>Actinotia</i>	27
populi, <i>Laothoe</i>	217
porcellus, <i>Deilephila</i>	11, 52
postvittana, <i>Epiphyas</i>	268, 283
potentillella, <i>Scythris</i>	267
praeangusta, <i>Batrachedra</i>	266
pratella, <i>Crambus</i>	73
Prays spp.	150-151
procerella, <i>Bisigna</i>	262
processionea, <i>Thaumetopoea</i>	24, 58, 198

prometheus, <i>Caligo</i>	236
pronuba, <i>Noctua</i>	26
prosperina, <i>Prosperinus</i>	45
prunalis, <i>Udea</i>	275
pruniana, <i>Hedya</i>	269
prunifoliae, <i>Coleophora</i>	260
psi, <i>Acronicta</i>	219
pterodactyla, <i>Stenoptilia</i>	277
pulcherrimella, <i>Depressaria</i>	263
pulchrimella, <i>Cosmopterix</i>	267
pulchripalpis, <i>Raphiscopa</i>	185-188
pulicariae, <i>Digitivalva</i>	260
pullana, <i>Endothenia</i>	270
pumicana, <i>Cnephasia</i>	268
punctistigmata, <i>Raphiscopa</i>	186-189
punctum, <i>Zygaena</i>	148
puppillaria, <i>Cyclophora</i>	14, 22, 57-58
purdeyi, <i>Clavigesta</i>	272
purpuralis, <i>Pyrausta</i>	275
purpurea, <i>Agonopterix</i>	71, 263
pygmaeana, <i>Epinotia</i>	270
pygmaella, <i>Argyresthia</i>	259
pygmaeola, <i>Eilema</i>	25
pyralella, <i>Scoparia</i>	274
pyramidea, <i>Amphipyra</i>	220
pyri, <i>Saturnia</i>	242
pyritoides, <i>Habrocytus</i>	219
quadra, <i>Lithosia</i>	25-26
quadrimaculana, <i>Endothenia</i>	270
quadripuncta, <i>Oegoconia</i>	266, 293
quadripunctaria, <i>Euplagia</i>	26, 157-158, 240, 243, 284, 296
quercana, <i>Carcina</i>	263
quercifoliella, <i>Phyllonorycter</i>	257
quercus, <i>Favonius</i>	230, 233
quercus, <i>Neozephyrus</i>	230
quinquella, <i>Ectoedemia</i>	253
rapae, <i>Pieris</i>	213-217, 228
raschkiella, <i>Mompha</i>	266
ratzeburgiana, <i>Zeiraphera</i>	271
reali, <i>Leptidea</i>	233
reaumurella, <i>Adela</i>	255
rebeli, <i>Blastobasis</i>	266
recurvalis, <i>Spoladea</i>	20, 276
regiana, <i>Pammene</i>	272
resplendella, <i>Heliozela</i>	255
reticularis, <i>Diasemia</i>	275
retusa, <i>Ipimorpha</i>	244
rhombana, <i>Acleris</i>	73, 269
rhomboidea, <i>Xestia</i>	245
rhomboidella, <i>Hypatima</i>	265
ribeata, <i>Deileptenia</i>	152
roborana, <i>Epiblema</i>	155, 272
roborella, <i>Phycita</i>	276
robusta, <i>Pandesma</i>	244
robustana, <i>Bactra</i>	73
rorrella, <i>Yponomeuta</i>	17, 259
rosaefolana, <i>Epiblema</i>	155

rosana, <i>Archips</i>	268
roxelana, <i>Kirinia</i>	149
rubi, <i>Diarsia</i>	146
rubi, <i>Macrothylacia</i>	97
rubigana, <i>Aethes</i>	267
rubiginata, <i>Scopula</i>	23
rubiginea, <i>Conistra</i>	244
rubiginosana, <i>Epinotia</i>	271
rubivora, <i>Ectoedemia</i>	253
rubricollis, <i>Atolmis</i>	97, 220
rufescens, <i>Helcystogramma</i>	265
ruficeps, <i>Prays</i>	150 - 151
ruficiliaria, <i>Cyclophora</i>	14, 23, 57-58
rufimitrana, <i>Zeiraphera</i>	271
rufocinerea, <i>Elachista</i>	262
rumicis, <i>Acronicta</i>	219
ruricolella, <i>Nemapogon</i>	255
rustica f. <i>fraxinella</i> , <i>Prays</i>	151
rusticata, <i>Idaea</i>	23
sacaria, <i>Rhodometra</i>	35, 40, 91
sagitella, <i>Phyllonorycter</i>	258
sakhalinella, <i>Stigmella</i>	254
salaciella, <i>Opostega</i>	254
salicis, <i>Leucoma</i>	25, 39
salicorniae, <i>Coleophora</i>	262
salictella, <i>Phyllonorycter</i>	257
saligna, <i>Phyllocnistis</i>	258
salinella, <i>Scrobipalpa</i>	72, 265
salopiella, <i>Eriocrania</i>	252
samiatella, <i>Stigmella</i>	253
sangii, <i>Eriocrania</i>	252
sarcitrella, <i>Endrosis</i>	263
saturatella, <i>Coleophora</i>	261
saucia, <i>Peridroma</i>	14, 37
sauciana, <i>Aptomis</i>	270
saxicolella, <i>Coleophora</i>	71, 261
scabrella, <i>Ypsolopha</i>	259
schalleriana, <i>Acleris</i>	117
schoenicolella, <i>Glyptipterix</i>	258
schreibersiana, <i>Argyrolepis</i>	108
schreibersiana, <i>Hysterosia</i>	108
schreibersiana, <i>Pitheochroa</i>	107-110, 250, 267
schulziana, <i>Olethreutes</i>	269
scirpi, <i>Biselachista</i>	71
scolopacina, <i>Apamea</i>	220
scopariella, <i>Phyllonorycter</i>	257
scoticella, <i>Parornix</i>	257
scotinella, <i>Gelechia</i>	265
scribaiella, <i>Cosmopterix</i>	266
scutulana, <i>Epiblema</i>	272
sehestediana, <i>Prochoreutis</i>	258
selasella, <i>Agriphila</i>	274
selene, <i>Actias</i>	22
selene, <i>Boloria</i>	149
semele, <i>Hipparchia</i>	149
semiargus, <i>Cyaniris</i>	148
semicostella, <i>Sophronia</i>	265

semifascia, <i>Caloptilia</i>	159-160, 291	subsequana, <i>Acroclita</i>	271
semifasciana, <i>Apotomis</i>	73, 270	subsequana, <i>Epinotia</i>	270
semipurpurella, <i>Eriocrania</i>	252	subsericeata, <i>Idaea</i>	97
semirubella, <i>Oncocera</i>	20	sulphurella, <i>Esperia</i>	263
senencionana, <i>Clepsis</i>	268	suspectana, <i>Pammene</i>	272
septembrella, <i>Ectoedemia</i>	253	sylvanus, <i>Ochlodes</i>	227, 228
sequella, <i>Ypsolopha</i>	220, 260	sylvestrella, <i>Dioryctria</i>	21, 276
sericopeza, <i>Ectoedemia</i>	252, 286-289	tages, <i>Erynnis</i>	148
servillana, <i>Cydia</i>	291	tamarindi ssp. <i>tamarindi</i> , <i>Opsiphanes</i> ...	235
sexalata, <i>Pterapherapteryx</i>	218	<i>tamarindi</i> , <i>Opsiphanes</i>	235, 236
sexguttella, <i>Chrysoesthia</i>	71, 264	tamesis, <i>Coleophora</i>	71
sibiricus, <i>Dendrolimus</i>	190	tantillaria, <i>Eupithecia</i>	155
signatana, <i>Epinotia</i>	271	tedella, <i>Epinotia</i>	270
silacea, <i>Ecliptopera</i>	219	telamonius, <i>Caligo</i>	236
silvelia, <i>Crambus</i>	19	templi, <i>Dasypolia</i>	245
similella, <i>Denisia</i>	262	tenebrosa, <i>Dryobotodes</i>	14, 27
similella, <i>Elegia</i>	276	tenebrosana, <i>Grapholita</i>	272
similis, <i>Bryotropha</i>	264	tenerana, <i>Epinotia</i>	270
simpliciana, <i>Dichrorampha</i>	273	tenerella, <i>Phyllonorycter</i>	221, 257
sinapis, <i>Leptidea</i>	148	terebrella, <i>Assara</i>	21
siterata, <i>Chloroclysta</i>	283	terminella, <i>Mompha</i>	266
sociana, <i>Gypsonoma</i>	271	terrealis, <i>Algedonia</i>	275
sociella, <i>Aphomia</i>	276	tessellum, <i>Muschampsia</i>	147-150
sodaliana, <i>Phtheochroa</i>	267	tetragonana, <i>Epiblemma</i>	154-155
sordidana, <i>Epinotia</i>	271	tetragonella, <i>Monochroa</i>	264
sororcula, <i>Eilema</i>	25, 243	thoracella, <i>Bucculatrix</i>	256
sparganii, <i>Archana</i>	95, 245	thrasonella, <i>Glyptipterix</i>	258
sparrmannella, <i>Eriocrania</i>	252	tiliae, <i>Stigmella</i>	253
sparsana, <i>Acleris</i>	72, 269	tithonus, <i>Pyronia</i>	217, 228
spartiella, <i>Anarsia</i>	72, 265	tityrus, <i>Hemaris</i>	246-247
spectrana, <i>Clepsis</i>	72, 268	torquatella, <i>Atemelia</i>	259
sphinx, <i>Asteroscopus</i>	219	transversa, <i>Eupsilia</i>	59
splendens, <i>Lacanobia</i>	146	tricolorella, <i>Caryocolum</i>	265
sponsa, <i>Catocala</i>	31, 41	trifasciata, <i>Argyresthia</i>	258
stagnana, <i>Rhopobota</i>	271	trifolii, <i>Discestra</i>	26
stagnata, <i>Nymphula</i>	275	trigeminella, <i>Coleophora</i>	260
statices, <i>Adscita</i>	48, 77-79	trigonella, <i>Epinotia</i>	73, 271
steinkellneriana, <i>Semioscopis</i>	263	trimaculana, <i>Epiblema</i>	271
stellatarum, <i>Macroglossum</i> ..	32, 36, 39, 210	trimaculata, <i>Stegania</i>	14, 23
stephensi, <i>Dystebenna</i>	267	trinotella, <i>Tinea</i>	71, 256
stephensiana, <i>Cnephasia</i>	268	triplasia, <i>Abrostola</i>	96
sternipennella, <i>Coleophora</i>	71	tripuncta, <i>Telechrysis</i>	263
sticticalis, <i>Loxostege</i>	58, 91	trisignaria, <i>Eupithecia</i>	243
stigmatella, <i>Caloptilia</i>	256	tritophus, <i>Notodonta</i>	245
stratiotata, <i>Parapoynx</i>	73, 275	trivia, <i>Melitaea</i>	149
striatella, <i>Isophrictis</i>	264	truncicolella, <i>Eudonia</i>	274
striatipennella, <i>Coleophora</i>	261	trychiata, <i>Oxydia</i>	190
strigana, <i>Lathronympha</i>	272	tumidana, <i>Conobathra</i>	20
strigilata, <i>Pechipogo</i>	48	turbidana, <i>Apotomis</i>	270
strigulatella, <i>Phyllonorycter</i>	257	turbidella, <i>Ectoedemia</i>	252
stroilella, <i>Niditinea</i>	256	uddmanniana, <i>Epiblema</i>	73, 271
subarcuana, <i>Ancylis</i>	270	uliginosellus, <i>Crambus</i>	73, 274
subbimaculella, <i>Ectoedemia</i>	285	ulmaria, <i>Stigmella</i>	253
subbistrigella, <i>Mompha</i>	72	ulmella, <i>Bucculatrix</i>	71
subcinerea, <i>Platyedra</i>	265	ultimaria, <i>Eupithecia</i>	23
subocellana, <i>Epinotia</i>	270	ultimella, <i>Depressaria</i>	263
subocellea, <i>Elachista</i>	262	umbellana, <i>Agonopterix</i>	264

umbrana, <i>Acleris</i>	111-127
uncella, <i>Ancylis</i>	270
undalis, <i>Hellula</i>	19
unguicella, <i>Ancylis</i>	221
unimaculella, <i>Eriocrania</i>	252
unipuncta, <i>Mythimna</i>	38, 40
unipunctella, <i>Phyllocnistis</i>	258
unitella, <i>Batia</i>	262
upupana, <i>Ancylis</i>	48
urella, <i>Ochsenheimeria</i>	260
urticae, <i>Aglais</i>	228
urticae, <i>Spilosoma</i>	92
ustella, <i>Ypsolopha</i>	259
vaccinii, <i>Conistra</i>	59, 282
valerianata, <i>Eupithecia</i>	243
variatella <i>Nemapogon</i>	255
variegana, <i>Acleris</i>	73, 269
vectisana, <i>Gynnidiomorpha</i>	72
velocella, <i>Aroga</i>	72
verhuella, <i>Psychoides</i>	255
versurella, <i>Coleophora</i>	261
verticalis, <i>Sitochroa</i>	275
vetusta, <i>Xylena</i>	27, 91
v-flava, <i>Oinophila</i>	16
viburnana, <i>Aphelia</i>	72, 268
villica, <i>Arctia</i>	218
virgata, <i>Phibalapteryx</i>	242
virgaureae, <i>Coleophora</i>	261
viridana, <i>Tortrix</i>	269
viridata, <i>Chlorissa</i>	1-10
viridata, <i>Nemoria</i>	1-10
viscerella, <i>Stigmella</i>	254
vitellina, <i>Mythimna</i>	37-38, 40, 91, 244
vitrata, <i>Maruca</i>	275
vitrealis, <i>Palpita</i>	20, 39, 276
wagae, <i>Teleiodes</i>	264
w-album, <i>Satyrium</i>	222, 227, 228, 229
weaverella, <i>Monopis</i>	255
weaveri, <i>Ectoedemia</i>	253
weirana, <i>Strophedra</i>	272
wilkella, <i>Eulamprotes</i>	264
wolfiella, <i>Nemapogon</i>	255
xenia, <i>Phyllocnistis</i>	258
xylosteana, <i>Archips</i>	268
xylostella, <i>Plutella</i>	32-33, 51
yeatiana, <i>Agonopterix</i>	71, 264
zelleri, <i>Aphomia</i>	276
zeuxippus ssp. <i>zeuxippus</i> , <i>Caligo</i>	236
zeuxippus, <i>Caligo</i>	236
zieglerella, <i>Cosmopterix</i>	266
zinckenella, <i>Etiella</i>	276

COLEOPTERA

<i>Clivinia fossor</i>	50
<i>Elaphropus parvulus</i>	51
<i>Gastrophysa viridula</i>	50, 80
<i>Hoplia philanthus</i>	195-198

<i>Longitarsus dorsalis</i>	50
<i>Microplontus triangulum</i>	50
<i>Necrodes littoralis</i>	218
<i>Polydrusus formosus</i>	50
<i>Scaphidema metallicum</i>	50
<i>Za cladus exiguus</i>	50

DIPTERA

<i>Epistrophe grossulariae</i>	217
<i>Episyrphus balteatus</i>	217
<i>Eristalis tenax</i>	217
<i>Myathropa florea</i>	217
<i>Pandivirilia melaleuca</i>	278

HEMIPTERA

<i>Acalypta carinata</i>	161
<i>Acalypta parvula</i>	161
<i>Agramma laetum</i>	161
<i>Anthocoris nemorum</i>	156
<i>Campylosteira verna</i>	161
<i>Cardiastethus fasciiventris</i>	156
<i>Cyphostethus tristriatus</i>	54
<i>Deraecoris ruber</i>	294
<i>Deraecoris scutellaris</i>	162
<i>Gastrophes abietum</i>	162
<i>Lyctocoris campestris</i>	156
<i>Philophorus cinnamopterus</i>	53-54
<i>Plinthisus brevipennis</i>	162
<i>Reduvius personatus</i>	156
<i>Thyreocoris scarabaeoides</i>	161

HYMENOPTERA

<i>Biorhiza pallida</i>	291
<i>Bombus hortorum</i>	228, 229
<i>Bombus lapidarius</i>	228, 229
<i>Bombus lucorum</i>	227, 228
<i>Bombus pascuorum</i>	228, 229
<i>Bombus terrestris</i>	227, 228
<i>Bombus vestalis</i>	228, 229
<i>Euxestonotus pini</i>	62
<i>Leptacis coryphe</i>	62
<i>Megalodontes bucephalus</i>	139
<i>Megalodontes capitalatus</i>	139
<i>Megalodontes cephalotes</i>	134
Megalodontes crassicornis	131, 133-134
<i>Megalodontes escalerae</i>	132, 138, 141
<i>Megalodontes eversmanni</i>	138
<i>Megalodontes fabricii</i>	142, 143
<i>Megalodontes flabellicornis</i>	141
<i>Megalodontes gratiosus</i>	139
Megalodontes guichardi	131, 137-138
Megalodontes huddlestonei	131, 138-139
<i>Megalodontes jucundus</i>	138
<i>Megalodontes luteiventris</i>	141
Megalodontes quinlani	131, 140-141
<i>Megalodontes reitteri</i>	138
<i>Megalodontes turcicus</i>	134
Megalodontes weiffenbachi	131, 141-143

Meteorus ictericus.....	124
Platygaster cf. inermis	62
Platygaster cf. splendidula	62
Platygaster cf. zigrida	62
Platygaster pelias	62
Platygaster tubulosa.....	62
Synopeas aceris.....	62
Synopeas breve	62
Synopeas craterus	62
Synopeas jasius	63
Synopeas lugubre.....	63
Synopeas manense	63
Synopeas ventrale	63
Telenomus coilus	190-194
Telenomus kononovae	191, 192, 193
Telenomus xeneus	191, 192
Tranosemella praerogator	124
Trichacis pisis	63

NEUROPTERA

Helicoconis hirtinervis.....	145
Peyerimhoffina gracilis.....	80

ORTHOPTERA

Chorthippus brunneus	54
Chorthippus parallelus	228, 229, 230
Metrioptera roeselii.....	222, 228, 229, 230
Pholidoptera griseoaptera	228, 229

PSOCOPTERA

Valenzuela atricornis.....	53
----------------------------	----

SMITHSONIAN INSTITUTION LIBRARIES



3 9088 01660 4563